



New York - Munich - Portland - San Francisco - Seattle - Stockholm - Vancouver - Zurich

F. A. Q.: Vehicle Specifications

1991 Stealth Specifications

Model	TT	RT	ES	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm	185 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	18/24	18/24	18/24
Wheelbase	97.2	97.2	97.2	97.2
Length	180.5"	180.5"	180.5"	180.5"
Curb Weight	3,793 lbs	3,076 lbs	3,076 lbs	3,076 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	16"x8" Alum.	15"x6.5" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16	205/65HR15

1991 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	19/24	19/24
Wheelbase	97.2	97.2	97.2
Length	180.5"	179.1"	179.1"
Curb Weight	3,791 lbs	3,524 lbs	3,350 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	16"x8" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16

1992 Stealth Specifications

Model	TT	RT	ES	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm	185 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/24	18/24
Wheelbase	97.2	97.2	97.2	97.2
Length	180.5"	180.5"	180.5"	180.5"
Curb Weight	3,803 lbs	3,373 lbs	3,186 lbs	3,086 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	16"x8" Alum.	15"x6.5" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16	205/65HR15

1992 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	19/24	19/24
Wheelbase	97.2	97.2	97.2
Length	178.9"	178.9"	178.9"
Curb Weight	3,802 lbs	3,376 lbs	3,219 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	16"x8" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16

1993 Stealth Specifications

Model	TT	RT	ES	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm	185 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/24	19/25
Wheelbase	97.2	97.2	97.2	97.2
Length	180.5"	180.5"	180.5"	180.5"
Curb Weight	3,803 lbs	3,373 lbs	3,186 lbs	3,086 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	16"x8" Alum.	15"x6.5" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16	205/65HR15

1993 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	300 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	307 @ 2500rpm	201 @ 4500rpm	201 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	19/24	19/24

Wheelbase	97.2	97.2	97.2
Length	178.9"	178.9"	178.9"
Curb Weight	3,803 lbs	3,373 lbs	3,219 lbs
Transmission	5-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Chrome	16"x8" Alum.	16"x8" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16

1994 Stealth Specifications

Model	TT	RT	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	315 @ 2500rpm	201 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/25
Wheelbase	97.2	97.2	97.2
Length	180.3"	180.3"	178.9"
Curb Weight	3,797 lbs	3,164 lbs	3,064 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	15"x6" Sofera
Tires	245/45ZR17	225/55VR16	205/65HR15

1994 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	320 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	205 @ 4500rpm
Compression	8.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	19/25	19/25
Wheelbase	97.2	97.2	97.2
Length	179.7"	179.7"	179.7"
Curb Weight	3,803 lbs	3,351 lbs	3,197 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Chrome	16"x8" Alum.	16"x8" Alum.
Tires	245/45ZR17	225/55VR16	225/55VR16

1995 Stealth Specifications

Model	TT	RT	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/25
Wheelbase	97.2	97.2	97.2
Length	179.7"	179.7"	179.5"
Curb Weight	3,792 lbs	3,164 lbs	3,064 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	15"x6" Sofera
Tires	245/45ZR17	225/55VR16	205/65HR15

1995 3000GT Specifications

Model	VR-4	VR-4 Spyder	SL	SL Spyder	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	320 @ 6000rpm	320 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	315 @ 2500rpm	315 @ 2500rpm	205 @ 4500rpm	205 @ 4500rpm	205 @ 4500rpm
Compression	8.0 : 1	8.0 : 1	10.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	18/24	19/25	19/25	19/25
Wheelbase	97.2	97.2	97.2	97.2	97.2
Length	179.7"	179.4"	179.7"	179.4"	179.7"
Curb Weight	3,781 lbs	3,803 lbs	3,439 lbs	3,351 lbs	3,252 lbs
Transmission	6-sp Getrag	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum. (18"x8.5" Chrome opt.)	17"x8.5" Alum. (18"x8.5" Chrome opt.)	16"x8" Alum. (Chrome opt.)	17"x8.5" Alum. (18"x8.5" Chrome opt.)	16"x8" Alum.
Tires	245/45ZR17 (245/40ZR18opt.)	245/45ZR17 (245/40ZR18opt.)	225/55VR16	245/45ZR17 (245/40ZR18opt.)	225/55VR16

1996 Stealth Specifications

Model	TT	RT	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	222 @ 6000rpm	164 @ 5500rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/25
Wheelbase	97.2	97.2	97.2
Length	179.7"	179.7"	179.5"
Curb Weight	3,671 lbs	3,153 lbs	3,053 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum.	16"x8" Alum.	15"x6" Sofera
Tires	245/45ZR17	225/55VR16	205/65HR15

1996 3000GT Specifications

Model	VR-4	VR-4 Spyder	SL	SL Spyder	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC
HP	320 @ 6000rpm	320 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm	222 @ 6000rpm
Torque	315 @ 2500rpm	315 @ 2500rpm	205 @ 4500rpm	205 @ 4500rpm	205 @ 4500rpm
Compression	8.0 : 1	8.0 : 1	10.0 : 1	10.0 : 1	10.0 : 1
MPG	18/24	18/24	19/25	19/25	19/25
Wheelbase	97.2	97.2	97.2	97.2	97.2
Length	179.7"	179.4"	179.7"	179.4"	179.7"
Curb Weight	3,781 lbs	3,803 lbs	3,351 lbs	3,439 lbs	3,252 lbs
Transmission	6-sp Getrag	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Alum. (18"x8.5" Chrome opt.)	17"x8.5" Alum. (18"x8.5" Chrome opt.)	16"x8" Alum. (Chrome opt.)	17"x8.5" Alum. (18"x8.5" Chrome opt.)	16"x8" Alum.
Tires	245/45ZR17 (245/40ZR18opt.)	245/45ZR17 (245/40ZR18opt.)	225/55VR16	245/45ZR17 (245/40ZR18opt.)	225/55VR16

1997 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	218 @ 6000rpm	161 @ 5500rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/25	19/24
Wheelbase	97.2	97.2	97.2
Length	180.3"	180.3"	180.3"
Curb Weight	3,737 lbs	3,263 lbs	3,131 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Chrome (18"x8.5" Chrome opt.)	17"x8.5" Chrome	16"x8" Alum.
Tires	245/45ZR17 (245/40ZR18opt.)	245/45VR17	225/55VR16

1998 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	218 @ 6000rpm	161 @ 5500rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/24	19/25
Wheelbase	97.2	97.2	97.2
Length	180.3"	180.3"	180.3"
Curb Weight	3,737 lbs	3,263 lbs	3,131 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Chrome (18"x8.5" Chrome opt.)	17"x8.5" Chrome	16"x8" Alum.
Tires	245/45ZR17 (245/40ZR18opt.)	245/45VR17	225/55VR16

1999 3000GT Specifications

Model	VR-4	SL	Base
Engine	3L 6cyl 24V DOHC	3L 6cyl 24V DOHC	3L 6cyl 12V SOHC
HP	320 @ 6000rpm	218 @ 6000rpm	161 @ 5500rpm
Torque	315 @ 2500rpm	205 @ 4500rpm	185 @ 4000rpm
Compression	8.0 : 1	10.0 : 1	8.9 : 1
MPG	18/24	19/25	19/24
Wheelbase	97.2	97.2	97.2
Length	180.3"	180.3"	180.3"
Curb Weight	3,737 lbs	3,263 lbs	3,131 lbs
Transmission	6-sp Getrag	5-sp Manual, Auto (Opt)	5-sp Manual, Auto (Opt)
Wheels	17"x8.5" Chrome (18"x8.5" Chrome opt.)	17"x8.5" Chrome	16"x8" Alum.
Tires	245/45ZR17 (245/40ZR18opt.)	245/45VR17	225/55VR16



[Team3S FAQ Page](#)

[Team3S HOME](#)

[All Images © 1995-2004 Bob Forrest. All Rights Reserved.](#)